INDEX

Page

Achromobacter radiobacter, establishment and spread on cotton roots, experiments 198–205
Actinomyces scabies, resistance of potatoes to, measurement and inheritance, experiments 843–853
ADAMS, JAMES E., MORROW, MARIE B., ROBERTS, JAMES L., JORDAN, H. V., and GUEST, PAUL: Establishment and Spread of Molds and Bacteria on Cotton Roots by Seed and Seedling Inoculation 197–207
Agar, effect on growth of fowl coryza bacillus, factors affecting 923–925, 926
Air-lift, for sand-culture equipment, construction and use 73–76
Alfalfa—
  mosaic virus—
    1, inoculation of pea, symptoms 749, 752, 754–756
    1A, inoculation of pea, symptoms 749, 752–756
    1B, inoculation of pea, symptoms 749, 752, 754, 755–756
    several strains, relation to streak disease of peas. W. J. Zaumeyer 747–772
  mosaic viruses—
    inoculation of alfalfa, symptoms 749, 752
    properties 764–766
    separation from each other and from pea streak virus 1 766–767
    symptoms on differential hosts 760–764
  susceptibility to alfalfa mosaic viruses 752
Alkali disease in swine—
  feeding experiments with selenium in form of sodium selenite 831–842
  symptoms 841
Alternaria—
  spp., development on figs, experiments 480–488
  spots on market figs, description and development 473–478
Ammonia, ineffectiveness in penetrating soil and preventing growth of *Phymatotrichum* 562–563
Aphelenchoides fragariae, parasitism on red spiderlily bulb 8
Aphis—
  maidis, vector of sugarcane mosaic, comparison with *Toxoptera graminum* 538, 539
  spp., vector of mosaic of lima beans 896, 901–902
Apple—
  fruits, oxidase and catalase activity and respiration. Boyce D. Ezell and Fisk Gerhardt 365–386
  leaves—
    infection with *Venturia inaequalis*, early stages and development 602–614
    inoculation with *Venturia inaequalis*—
      materials and methods 576–598
      microscopic observations 598–602
    Venturia inaequalis on, host-parasite relations, cytological study. Charles J. Nusbaum and G. W. Keitt 595–618
  respiration rate and enzyme activity, experiments 372–376
Arizona, blue grama range grass, vitamin A value, experiments 69–71
Arkansas, humidity and temperature, influence on life span and morphology of fire blight bacteria 239–257
ASMUNDSON, V. S.: The Influence of Various Factors on Egg Production in Turkeys 387–393
Aspergillus—
  luchuensis, establishment and spread on cotton roots, experiments 198–207
  spp., growth, relation to moisture in shelled corn 295–298, 303–305
ATKINS, I. M.: Relation of Certain Plant Characters to Strength of Straw and Lodging in Winter Wheat 99–120

Page

AUSEMUS, E. R., MARKLEY, M. C., BAILEY, C. H., and HAYES, H. K.: Quality Studies in the Wheat-Breeding Program at the Minnesota Agricultural Experiment Station 453–464

Bacteria, establishment and spread on cotton roots by seed and seedling inoculation. Marie B. Morrow, James L. Roberts, James E. Adams, H. V. Jordan, and Paul Guest 197–207
BAILEY, C. H., AUSEMUS, E. R., MARKLEY, M. C., and HAYES, H. K.: Quality Studies in the Wheat-Breeding Program at the Minnesota Agricultural Experiment Station 453–464
BAIR, MARGARET D., KRAMER, M. M., KUNERTH, BERNICE L., and RIDDELL, W. H.: The Vitamin A Value of Colostrum and Milk of Four Cows Determined by the Single-Feeding Method 227–232
Barley, photoperiodic responses, effects of environmental factors 634–635, 647
Bean—
  lima—
    infection with lima bean mosaic virus, symptomatology 897–898
    inoculation with mosaic viruses, methods 896–897
    mosaic—
      distribution and economic importance 895–896
      infection, transmission 901–902
      symptomatology 897–901
      virus, comparison with cucumber strain 895, 896, 903, 904–905
      virus, host range, tests 897
      virus, properties 902–904
    varietal resistance and susceptibility to lima bean mosaic 901
  varieties, resistance and susceptibility to pea streak and alfalfa mosaic viruses, experiments 756–758
Beans—
  inoculation with sugar-beet curly top virus strains, experiments 891, 892, 894
  lima, *Phaseolus lunatus macrocarpus*, mosaic of. L. L. Harter 895–906
Beet leafhopper. See *Eutettix tenellus*.
BENNETT, C. W., and WALLACE, HUGH E.: Relation of the Curly Top Virus to the Vector, *Eutettix tenellus* 31–51
Birch wood, permeability to water, experiments 720–743
BLACK, W. H., KNAPP, BRADFORD, JR., and COOK, A. C.: Correlation of Body Measurements of Slaughter Steers With Rate and Efficiency of Gain and With Certain Carcass Characteristics 465–472
Blood serum, clotted, X factor, effect upon growth of fowl coryza bacillus 919–926
Blossoming, in higher plants, effects of environment upon, experiments 633–676
Bluegrass—
  effect of kerosene sprays on 860–861, 865–866
  photoperiodic responses, effects of environmental factors 634, 647
Boutelona gracilis. See Grama grass, blue.
Braconid parasite of satin moth, *Rogas unicolor*. Philip B. Dowden 523–535
Brassica pe-tsai. See Cabbage, Chinese.
Brevicoryne brassicae, transmission of Chinese cabbage mosaic virus 544
British Columbia—
  climatic and ecological conditions, blister rust area 11–13
  Cronartium ribicola in, distance of spread to white pine, tests 9–29

Page

Broadbean—
infection with lima bean mosaic, symptomatology 900
Windsor, susceptibility to pea streak and alfalfa mosaic viruses, symptons 748, 749–750, 758, 759–760, 767–769
BROOKS, CHARLES, and MCCOLLOCH, L. P.: Spotting of Figs on the Market 473–488
BUCHANAN, T. S., and KIMMEY, J. W.: Initial Tests of the Distance of Spread to and Intensity of Infection on *Pinus monticola* by *Cronartium ribicola* From *Ribes lacustre* and *R. viscosissimum* 9–30
BUCK, CHARLES C.: Factors Influencing the Discovery of Forest Fires by Lookout Observers 259–266
BYERLY, THEODORE C., and OLSEN, MARLOW W.: Resistances of Chicken Embryos to Mechanical Disturbances 221–226

Cabbage—
aphid, transmission of Chinese cabbage mosaic virus, experiments 544
Chinese—
inoculation with mosaic virus, experiments 542–544
mosaic—
disease. C. M. Tompkins and H. Rex Thomas 541–551
disease, symptoms 542
infection, plants immune to, list 545–546
virus, comparison with other crucifer viruses 548–550
virus, description 548
virus, experimental host range 544–545
virus, properties and description 547–548
varieties, susceptibility to artificial infection of mosaic disease 544
Calcium arsenate, effect on growth of millet in quartz sand 787–789
Canna root juice, inhibition of growth of *Phymatotrichum omnivorum* 777, 779–780, 781, 783–785
Capsicum frutescens—
anthesis and fruit setting 404–408
embryo, development 409–412
endosperm and integument, development 412
flower development, description 395–398
macrosporogenesis and development of macrogametophyte 398–403
microsporogenesis and development of microgametophyte 404
pollination and fertilization 408–409
Carassius auratus, toxicity of phenothiazine and some of its oxidation products to, experiments. W. A. Gersdorff and H. V. Claborn 277–282
Carbon dioxide—
effect on spotting of market figs, experiments 483–488
storage, effect on Bartlett pears under simulated transit conditions. Fisk Gerhardt and Boyce D. Ezell 121–136
Cardiac activity, of insects, recording by mechanographic method with reference to effect of nicotine on isolated heart preparations of *Periplaneta americana*. J. Franklin Yeager 267–276
Carrot root juice, inhibition of growth of *Phymatotrichum omnivorum* 776–777, 782–783
Catalase activity—
and respiration of apple and pear fruits. Boyce D. Ezell and Fisk Gerhardt 355–386
of Bartlett pear in relation to maturity and storage. Boyce D. Ezell and Fisk Gerhardt 337–346
Cattle. *See* steers.
Cauliflower mosaic virus, comparison with cabbage mosaic virus 548–550
Cedar wood, permeability to water, experiments 720–743
Celery—
mosaic virus, comparison with lima bean virus 904, 905
photoperiodic responses, effects of temperature and other environmental factors 634, 647, 672, 674

Page

Cephalobus persegnis, parasitism on red spiderlily bulb 8
Cephalosporium acremonium, infection in corn grain, growth studies 302–303
Cercospora—
arachidicola, perithecial stage. *See Mycosphaerella arachidicola* n. sp.
personata, perithecial stage. *See Mycosphaerella berkeleyii* n. sp.
CHAPMAN, H. D., and LIEBIG, GEORGE F., JR.: Adaptation and Use of Automatically Operated Sand-Culture Equipment 73–80
Chick, growing, feathering, physiology and inheritance, studies. M. H. Radi and D. C. Warren 679–705
Chicken—
blood serum, clotted, X factor of, effect upon growth of fowl coryza bacillus 919–926
embryos, resistance to mechanical disturbances. Marlow W. Olsen and Theodore C. Byerly 221–226
Chickens—
breeding for feathering characteristics 694–703
clotted-blood serum, growth of fowl coryza bacillus in, factors 922–923, 926
genetic study of feathering 694–703
male, growth and feed utilization, relation to percentage of protein in diet. John C. Hammond, Walter A. Hendricks, and Harry W. Titus 791–810
Chicks—
body growth, effect on rate of feathering 684
male—
feed consumption, relation to various diets, experiments 796–797, 806, 808–809
live weight, relation to various diets, experiments 795–796, 797–810
mortality, relation to various diets, experiments 795, 805
molt, relation to broiler feathering 685
nutrition, effect upon feathering, experiments 687–699
sex, relation to feathering 684–685
Chinaberry tree, diseased, application of pentachlorethane for control of root rot fungus, tests 585–586, 588, 589
Chromosomes—
Indian maize—
abnormalities, occurrence 194
description 182–187
knobs, position and number 187–194
morphology 178–181
maize, from North American Indians. A. E. Longley 177–195
CLABORN, H. V., and GERSDORFF, W. A.: The Toxicity of Phenothiazine and Some of Its Oxidation Products, in Experiments With *Carassius auratus* 277–282
Cladosporium—
sp., development on figs, experiments 481–488
spots on market figs, description and development 478–480
COCHRAN, H. L.: A Morphological Study of Flower and Seed Development in Pepper 395–419
Cockroach, American, isolated heart preparations, mechanographic method of recording effect of nicotine upon 267–275
Cod-liver oil, comparative value alone and in combination with irradiated ergosterol as a source of vitamin D for confined laying hens. Ralph B. Nestler 209–219
COLE, WILFORD C.: Use of the Dilatometer in Measuring the Extent of Freezing in Ice Cream and Related Products 137–153
Colostrum, vitamin—
A value, determination by single-feeding method using four cows. M. M. Kramer, Margaret D. Bair, Bernice L. Kunerth, and W. H. Riddell 227–232
G (riboflavin) content of cows, biological determination. M. M. Kramer, Inez Gardner, Bernice L. Kunerth, and W. H. Riddell 233–237
Compositae, photoperiodic responses, effects of temperature and other environmental factors 634–676

Page

Cook, A. C., Black, W. H., and Knapp, Bradford, Jr.: Correlation of Body Measurements of Slaughter Steers With Rate and Efficiency of Gain and With Certain Carcass Characteristics 465–472
Copper—
carbonate, mixed with soil, effect on growth of *Phymatotrichum*, tests 556
compounds, saturated solutions, effect on conidia of *Sclerotinia fructicola* and *Glomerella cingulata*, experiments 496–499, 502–503
ionized, low concentrations, effect on conidia of *Sclerotinia fructicola* and *Glomerella cingulata*, experiments 494–496
low concentrations, effect on germinations and growth of conidia of *Sclerotinia fructicola* and *Glomerella cingulata*. M. C. Goldsworthy and E. L. Green 489–505
sulphate, effect on conidia of *Sclerotinia fructicola* and *Glomerella cingulata* 499–501, 502
Corn—
ear-rot fungus, development on shelled corn, studies 291–306
in storage—
effect of moisture on 291–292
humidity control, determinations 292
infection with lima bean mosaic, symptomatology 900–901
infestation by ear-rot fungus, studies 291–306
leaf aphid, vector of sugarcane mosaic, comparison with *Toxoptera graminum* 538, 539
photoperiodic responses, effects of temperature and other environmental factors 634–635, 647
root juice, inhibition of growth of *Phymatotrichum omnivorum* 776, 778, 780–781
rotation with tobacco, correlations 310–315
shelled—
amount of hygroscopic moisture taken by, factors affecting 294–295
fungus growth in, as affected by moisture. Benjamin Koehler 291–307
surface sterilization for control of ear-rot fungus 293
See also Maize.
Coryza bacillus in fowl, growth, effect of X factor, of sodium chloride, and of composition of nutrient media upon. J. R. Delaplane, L. E. Erwin, and H. O. Stuart 919–926
Cosmos, photoperiodic responses, effects of environmental factors, experiments 634, 637, 642, 647, 672, 676
Cotton—
Acala, characters, comparison with Hopi cotton 334–336
Cleveland Fuzzy Tip, origin of lint and fuzz hairs, study 513, 518–520
Hopi—
breeding experiments 333–334, 336
characters, comparisons with Acala cotton 334–336
genetic relationships 336
variable species. H. J. Fulton 333–336
injury from fungicides used in control of root rot infection 588
King Naked, origin of lint hairs, study 509–512, 518–520
lint and fuzz hairs, origin. A. G. Lang 507–521
linters, origin and early history, comparative study 507–520
Mexican 128–6, origin of lint and fuzz hairs, study 513–515, 518–520
Nankeen Lint, origin of lint and fuzz hairs, study 516, 518–520
plants, diseased, application of—
tetrachlorethane around, for root rot control, results 581–585
xylol around for control of root rot fungus, tests 584, 585, 587–589, 591–592
roots, molds and bacteria on, establishment and spread by seed and seedling inoculation. Marie B. Morrow, James L. Roberts, James E. Adams, H. V. Jordan, and Paul Guest 197–207

Page

Cotton—Continued.
Sakel × Pima, origin of lint and fuzz hairs, study 517–520
sea-island, origin of lint and fuzz hairs, study 516–517, 518
varieties, lint and fuzz hairs, origin and early history, comparative study 507–520
Cottonseed—
flour, source of vitamin B 927, 929–930, 932
hull bran, source of vitamin B 930, 932
meal, source of vitamin B 927, 929–930, 932
Cowpeas, infection with lima bean mosaic, symptomatology 898
Cows—
clotted-blood serum, growth of fowl coryza bacillus in, factors 922–923, 926
four, colostrum and milk, vitamin A value as determined by single-feeding method. M. M. Kramer, Margaret D. Bair, Bernice L. Kunerth, and W. H. Riddell 227–232
milk and colostrum, vitamin G (riboflavin) content, biological determination. M. M. Kramer, Inez Gardner, Bernice L. Kunerth, and W. H. Riddell 233–237
Cronartium ribicola on *Pinus monticola*, initial test of distance to from *Ribes lacustre* and *R. viscosissimum* and intensity of infection. T. S. Buchanan and J. W. Kimmey 9–30
Crop rotation, with tobacco, effect upon and some correlations in plant-tissue composition and products. Walter S. Eisenmenger 309–316
Cruciferae—
photoperiodic responses, effects of temperature and other environmental factors 634–676
susceptibility to Chinese cabbage mosaic disease 544–545
Cucumber—
infection with lima bean mosaic, symptomatology 899–900
mosaic virus, comparison with lima bean mosaic virus 895, 896, 903, 904–905
Curly top virus—
acquisition by leafhopper during feeding period, tests 32–33
distribution in various parts of leafhopper 38–39, 48–49
incubation period in leafhopper 34–36
infection of leafhoppers—
effect of length of fasting period on 36–38
relation to feeding period 33–34
longevity in nonvector insects 47–48
multiplication in leafhopper, discussion and tests 39–44
relation to—
certain nonvector insects, tests 46–48, 49
vector, *Eutettix tenellus*. C. W. Bennett and Hugh E. Wallace 31–51
selected strains, studies. N. J. Giddings 883–894
strains, spread by *Eutettix tenellus* 883, 891
Currants, capacity for spread of white pine blister rust, tests 9–29

Dairy products, freezing, measurement by use of dilatometer, experiments 137–153
Dalhart, Texas, sand dune areas, study by Soil Conservation Service 907–917
Dandelion root—
food—
reserves, seasonal fluctuations 858–859
storage and chemical changes 856–858
structure, description 855–856
Dandelions—
control—
by herbicides 859–860
in lawns. W. E. Loomis 855–868
controlling with kerosene sprays, methods 860–866
physiological reaction to kerosene sprays 864–866
Davey, A. E., and Leach, L. D.: Determining the Sclerotial Population of *Sclerotium rolfsii* by Soil Analysis and Predicting Losses of Sugar Beets on the Basis of These Analyses 619–631

Page

DECKER, PHARES, LEACH, J. G., KRANTZ, F. A., and MATTSON, HAROLD: The Measurement and Inheritance of Scab Resistance in Selfed and Hybrid Progenies of Potatoes ... 843–853

DELAPLANE, J. P., ERWIN, L. E., and STUART, H. O.: The Effect of the X Factor, of Sodium Chloride, and of the Composition of the Nutrient Media Upon the Growth of the Fowl Coryza Bacillus, *Hemophilus gallinarum* ... 919–926

Dicotyledons, juices from, effect on growth of *Phymatotrichum omnivorum* ... 782–783

Diet of male chickens, protein percentage, effect on growth and feed utilization. John C. Hammond, Walter A. Hendricks, and Harry W. Titus ... 791–810

Dilatometer—
- construction and use in measuring freezing of milk products ... 138–141
- standardization for freezing milk and cream products ... 141–142
- use in measuring extent of freezing in ice cream and related products. Wilford C. Cole ... 137–153

Diplodia zeae, growth, relation to moisture in shelled corn ... 301–305

Ditylenchus dipsaci, parasitism on red spider-lily bulbs and leaves ... 1–4

DOPP, ERNEST, and RANDS, R. D.: Influence of Certain Harmful Soil Constituents on Severity of Pythium Root Rot of Sugarcane ... 53–67

Dorylaimus subtilis, parasitism on red spider-lily roots ... 8

DOWDEN, PHILIP B.: *Rogas unicolor* (Wesm.), a Braconid Parasite of the Satin Moth ... 523–535

DUBUY, H. G.: A Method for Extracting Growth Substances From Pigmented Tissues ... 155–158

DUERR, WILLIAM A., and GEVORKIANTZ, S. R.: Growth Prediction and Site Determination in Uneven-Aged Timber Stands ... 81–98

Dynamite blasts, effect on chicken embryos, experiments ... 225–226

Eggs—
- hatchability, effect of mechanical disturbances, experiments ... 221–226
- incubating, effects of shaking, centrifuging, jarring, and dynamite blasts ... 222–226
- production, weight, and hatchability, effect of—
  - cod-liver oil on, experiments ... 211–217
  - irradiated ergosterol and cod-liver oil on ... 211–217
- turkey, production, influence of various factors. V. S. Asmundson ... 387–393
- yolk color, effect of—
  - cod-liver oil on, experiments ... 212–213, 216
  - irradiated ergosterol and cod-liver oil on, experiments ... 212–213, 216

EISENMENGER, WALTER S.: Some Correlations in Plant-Tissue Composition, Decomposition Products, and Effect Upon Crop Rotation With Tobacco ... 309–316

Elm tree disease, pentachlorethane application for control of root rot fungus, tests ... 586, 590

Embryo, chicken, resistance to mechanical disturbances. Marlow W. Olsen and Theodore C. Byerly ... 221–226

Energy requirements of swine—
- and estimates of heat production and gaseous exchange for use in planning ventilation of hog houses. H. H. Mitchell and M. A. R. Kelley ... 811–829
- estimation ... 811–821

Environment—
- certain conditions of, influence on congestion of starch in tomato plant stems. Arthur C. Foster and Everett C. Tatman ... 869–881
- effects upon—
  - meiotic instability of *Triticum aestivum* ... 447–448
  - photoperiodic responses of some higher plants. R. H. Roberts and B. Esther Struckmeyer ... 633–677

Page

Enzyme—
- activity—
  - and respiration rate of apples, experiments ... 372–376
  - and respiration rate of pears, experiments ... 376–378
  - Bartlett pears, experiments ... 339–343
- analyses, apple and pear juice, procedure ... 371–372

Ergosterol, irradiated, in combination with cod-liver oil as a source of vitamin D for confined laying hens. Ralph B. Nestler ... 209–219

ERICKSON, HARVEY D., SCHMITZ, HENRY, and GORTNER, R. A.: Directional Permeability of Seasoned Woods to Water and Some Factors Which Affect It ... 711–745

Erosion, wind, effects on sand-dune stabilization ... 910–912, 915–917

ERWIN, L. E., DELAPLANE, J. P., and STUART, H. O.: The Effect of the X Factor, of Sodium Chloride, and of the Composition of the Nutrient Media Upon the Growth of the Fowl Coryza Bacillus, *Hemophilus gallinarum* ... 919–926

Erwinia amylovora—
- cause of fire blight disease ... 240
- in natural and artificial cultures, morphological studies ... 249–256
- longevity in cultures, factors affecting ... 246–249, 254–256
- viability and infectivity, factors affecting ... 246–248
- *See also* Fire blight bacteria.

Eutettix tenellus—
- ability to transmit curly top virus, individual variation ... 44–46
- distribution of curly top virus in ... 38–39, 48–49
- feeding period, relation to—
  - acquisition of curly top virus, tests ... 32–33
  - curly top infection, tests ... 33–34
- incubation period of curly top virus in ... 34–36
- infection by curly top virus, effect of length of fasting period ... 36–38
- relation to curly top virus. C. W. Bennett and Hugh E. Wallace ... 31–51
- use in inoculating plants with curly top virus, experiments ... 883, 891

EVANS, MORGAN W., and THATCHER, LLOYD E.: A Comparative Study of an Early, a Medium, and a Late Strain of Timothy Harvested at Various Stages of Development ... 347–364

EZEKIEL, WALTER N.—
- Evaluation of Some Soil Fungicides by Laboratory Tests With *Phymatotrichum omnivorum* ... 553–578
- Tests With Pentachlorethane, Tetrachlorethane, and Xylol to Determine Their Efficiency in Eradication of Phymatotrichum Root Rot ... 579–593
- and Fudge, J. F.: Studies on the Cause of Immunity of Monocotyledonous Plants to Phymatotrichum Root Rot ... 773–786

EZELL, BOYCE D., and GERHARDT, FISK—
- Effect of Carbon Dioxide Storage on Bartlett Pears Under Simulated Transit Conditions ... 121–136
- Oxidase and Catalase Activity of Bartlett Pears in Relation to Maturity and Storage ... 337–346
- Respiration and Oxidase and Catalase Activity of Apple and Pear Fruits ... 365–386

Feathering—
- chicks, relation to activity of thyroid gland ... 690–691
- physiology and inheritance in growing chick. M. H. Radi and D. C. Warren ... 679–705

Feathers, chicks', physiology of growth and order of appearance ... 681–684

Fertilizers, effects on accumulation of starch in tomato stems ... 877–878, 880

Ficus carica. *See* Figs.

Figs—
- market, spotting, inoculation experiments ... 480–488
- spotting on market. Charles Brooks and L. P. McColloch ... 473–488

Fir wood, permeability to water, experiments ... 720–743

Page

Fire blight bacteria—
life span and morphology, influence of relative humidity, temperature, and nutrition. H. R. Rosen ... 239–258
See also *Ercinia amylovora*.
Fires, forest, discovery by lookout observers, factors influencing. Charles C. Buck ... 259–266
Flour, wheat, tests at Minnesota Agricultural Experiment Station ... 456–459, 460–463
Flower development in pepper, morphological study. H. L. Cochran ... 395–419
Flowering, photoperiodic responses, effects of environmental factors, experiments ... 633–676
Forest fires, discovery by lookout observers, factors influencing. Charles C. Buck ... 259–266
Formaldehyde, ineffectiveness in penetrating soil and preventing growth of *Phymatotrichum* ... 562–563
FOSTER, ARTHUR C., and TATMAN, EVERETT, C.: Influence of Certain Environmental Conditions on Congestion of Starch in Tomato Plant Stems ... 869–881
Fowl—
coryza bacillus growth—
effect of X factor, of sodium chloride, and of composition of the nutrient media upon. J. P. Delaplane, L. E. Erwin, and H. O. Stuart ... 919–926
factors in yeast ... 920–921, 925–926
in clotted-blood serums of animals, experiments ... 922–923, 926
in culture, role of agar ... 925
Rhode Island, coryza bacillus, growth requirements, experiments ... 919–926
Freezing ice cream and related products, extent, measuring by use of dilatometer. Wilford C. Cole ... 137–153
Fruit ripening—
in storage, effect on catalase activity, discussion ... 381–382
on tree, effect on catalase activity, discussion ... 381–382
FUDGE, J. F., and EZEKIEL, WALTER N.: Studies on the Cause of Immunity of Monocotyledonous Plants to Phymatotrichum Root Rot ... 773–786
FULTON, H. J.: Hopi Cotton, a Variable Species ... 333–336
Fungi—
spotting of market figs—
description and growth ... 473–480
inoculation experiments ... 480–488
two, causing leaf spot of peanut. Wilbert A. Jenkins ... 317–332
Fungicides—
for control of phymatotrichum root rot, effect on host plants ... 589–592
mixed with soil, effect on growth of *Phymatotrichum*, tests ... 556–558
soil, evaluation by laboratory tests with *Phymatotrichum omnivorum*. Walter N. Ezekiel ... 553–578
Fungus, growth in shelled corn as affected by moisture. Benjamin Koehler ... 291–307
Fusarium moniliforme, growth, relation to moisture in shelled corn ... 300–301, 303–305

GARDNER, INEZ, KRAMER, M. M., KUNERTH, BERNICE L., and RIDDELL, W. H.: Vitamin G (Riboflavin) Content of Colostrum and Milk of Cows Determined Biologically ... 233–237
Gas-air mixtures, analysis by portable instrument, studies ... 283–290
Gas storage, Bartlett pears, experiments ... 126–130
GAUTIER, T. N., and WILMOT, R. J.: A Portable Instrument for the Analysis of Hydrocyanic Acid Gas-Air Mixtures ... 283–290
GERHARDT, FISK, and EZELL, BOYCE D.—
Effect of Carbon Dioxide Storage on Bartlett Pears Under Simulated Transit Conditions ... 121–136
Oxidase and Catalase Activity of Bartlett Pears in Relation to Maturity and Storage ... 337–346
Respiration and Oxidase and Catalase Activity of Apple and Pear Fruits ... 365–386

Page

GERSDORFF, W. A., and CLABORN, H. V.: The Toxicity of Phenothiazine and Some of Its Oxidation Products, in Experiments With *Carassius auratus* ... 277–282
GEVORKIANTZ, S. R., and DUERR, WILLIAM A.: Growth Prediction and Site Determination in Uneven-Aged Timber Stands ... 81–98
Giant reed root juice, inhibition of growth of *Phymatotrichum omnivorum* ... 779, 780
Gibberella zeae, growth, relation to moisture in shelled corn ... 301
GIDDINGS, N. J.: Studies of Selected Strains of Curly Top Virus ... 883–894
GILE, PHILIP L.: A Measure of Toxicity in Plant Studies ... 787–789
Gilts, pregnant, energy requirements ... 815, 819
Gladiolus corm juice, inhibition of growth of *Phymatotrichum omnivorum* ... 779, 780
Glomerella cingulata conidia, germination and growth, effect of low concentrations of copper. M. C. Goldsworthy and E. L. Green ... 489–505
Goat, clotted blood serum, growth of coryza bacillus in, factors ... 922–923, 926
Goldfish, toxicity of phenothiazine and some of its oxidation products to, experiments ... 277–282
GOLDSWORTHY, M. C., and GREEN, E. L.: Effect of Low Concentrations of Copper on Germination and Growth of Conidia of *Sclerotinia fructicola* and *Glomerella cingulata* ... 489–505
GORTNER, R. A., ERICKSON, HARVEY D., and SCHMITZ, HENRY: Directional Permeability of Seasoned Woods to Water and Some Factors Which Affect It ... 711–745
Gossypium hopi. *See* Cotton, Hopi.
Grains, feeding to chicks, effect upon feathering, experiments ... 688–690
Grama grass, blue—
distribution and growth in Arizona ... 69
vitamin A value at different stages of growth on range. Margaret Cammack Smith and E. B. Stanley ... 69–71
Gramineae, photoperiodic responses, effects of temperature and environment ... 633–676
Grasses—
rotation with tobacco, correlation experiments ... 310–316
See also under specific kinds.
Great Plains, southern, sand dunes of recent origin. Charles J. Whitfield ... 907–917
GREEN, E. L., and GOLDSWORTHY, M. C.: Effect of Low Concentrations of Copper on Germination and Growth of Conidia of *Sclerotinia fructicola* and *Glomerella cingulata* ... 489–505
Green bug (*Toxoptera graminum*), transmission of sugarcane mosaic. J. W. Ingram and E. M. Summers ... 537–540
GUEST, PAUL, MORROW, MARIE B., ROBERTS, JAMES L., ADAMS, JAMES E., and JORDAN, H. V.: Establishment and Spread of Molds and Bacteria on Cotton Roots by Seed and Seedling Inoculation ... 197–207

Hackberry, treatment with fungicides for control of *Phymatotrichum*, effects ... 589–590
HALVERSON, J. O., and SHERWOOD, F. W.: A Critical Evaluation of the Rat-Growth Method for Determining Vitamin B and Its Content in Meals From Certain Oily Seeds ... 927–934
HAMMOND, JOHN C., HENDRICKS, WALTER A., and TITUS, HARRY W.: Effect of Percentage of Protein in the Diet on Growth and Feed Utilization of Male Chickens ... 791–810
Hardwood—
tangential permeability at different pressure, determinations ... 727–743
uneven-aged stands, growth prediction and site determination ... 81–98
HARTER, L. L.: Mosaic of Lima Beans (*Phaseolus lunatus macrocarpus*) ... 895–906
Hay—
mixed timothy and clover—
protein content at different stages ... 356–361
yields at different stages ... 353–354

Page

Hay—Continued.
timothy—
color and grade at different stages..... 361–362
constituents, proportions at different stages..... 354–356
harvested at different stages of development, comparative study..... 347–363
protein content at different stages..... 356–361
strains, comparative studies..... 347–363
yields at different stages..... 353–354
HAYES, H. K., AUSEMUS, E. R., MARKLEY, M. C., and BAILEY, C. H.: Quality Studies in the Wheat-Breeding Program at the Minnesota Agricultural Experiment Station..... 453–464
Heart preparations, isolated, of *Periplaneta americana*, effect of nicotine on, mechanographic method of recording. J. Franklin Yeager..... 267–276
Heartwood—
radial permeability at different pressures, determinations..... 722–727, 731–743
tangential permeability at different pressures, determinations..... 727–743
Heat production of swine, estimates for use in planning ventilation of hog houses. H. H. Mitchell and M. A. R. Kelley..... 811–829
Hemerocallis root juice, inhibition of growth of *Phymatotrichum omnivorum*..... 777, 778–779
Hemlock wood, permeability to water, experiments..... 720–743
Hemophilus gallinarum—
growth, effect of X factor, of sodium chloride, and of composition of nutrient media upon. J. P. Delaplane, L. E. Erwin, and H. O. Stuart..... 919–926
See also Fowl coryza bacillus.
HENDRICKS, WALTER A., HAMMOND, JOHN C., and TITUS, HARRY W.: Effect of Percentage of Protein in the Diet on Growth and Feed Utilization of Male Chickens.... 791–810
Hens, confined laying, vitamin D for, comparative value of cod-liver oil alone and in combination with irradiated ergosterol as source. Ralph B. Nestler..... 209–219
Herbicides, use in control of dandelions..... 859–860
Hog—
houses—
design, data..... 822–824
flue, size requirements..... 826
temperature requirements..... 821–822
ventilation, planning by use of estimates of energy requirements, heat production and gaseous exchange of swine. H. H. Mitchell and M. A. R. Kelley..... 811–829
See also Pigs; Sows; Swine.
Horse, clotted-blood serum, growth of fowl coryza bacillus in, factors..... 922–923, 926
Horseweed, rotation with tobacco, correlations..... 310–316
Host-parasite relations of *Venturia inaequalis* on apple leaves, cytological study. Charles J. Nusbaum and G. W. Keitt..... 595–618
Humidity—
effect on—
feathering of growing chicks, experiments..... 692–695
longevity and productivity in *Trichogramma evanescens*..... 433–436, 437
spotting of market figs..... 481–482
relative, influence on life span and morphology of fire blight. H. R. Rosen..... 239–258
Hydrocarbons, chlorinated, effectiveness in penetrating soil and preventing growth of *Phymatotrichum*..... 558–569
Hydrocyanic acid gas-air mixtures, analysis by use of portable instrument. R. J. Wilmot and T. N. Gautier..... 283–290
Hydrogen sulphide, effect on growth and root rot of sugarcane, experiments..... 56–57

Ice cream—
freezing, measuring extent by use of dilatometer. Wilford C. Cole..... 137–153
mixes, freezing points, determination and factors affecting..... 142–144, 150–152
volume changes accompanying freezing.... 146–150

Page

Ice-milk mixes, water and solid content, relation to freezing point, experiments.... 144–145, 150–152
Ices, freezing points, factors affecting..... 145–146
Illinoia pisi, dissemination of mosaic disease, experiments..... 747–748
Incubation, eggs—
effect of mechanical disturbances on chicken embryos, experiments..... 221–226
stages, effect on susceptibility of embryo to mechanical disturbances..... 226
Indians, North American, chromosomes of maize from. A. E. Longley..... 177–195
INGRAM, J. W., and SUMMERS, E. M.: Transmission of Sugarcane Mosaic by the Green Bug (*Toxoptera graminum* Rond.).... 537–540
Inheritance of—
feathering in growing chick, studies. M. H. Radi and D. C. Warren..... 679–705
meiotic instability as a character in varieties of *Triticum aestivum*. W. M. Myers and LeRoy Powers..... 441–452
resistance to—
loose and covered smuts in Markton oat hybrids. George M. Reed and T. R. Stanton..... 159–175
potato scab in selfed and hybrid progenies. J. G. Leach, F. A. Krantz, Phares Decker, and Harold Mattson.. 843–853
wheat quality, experiments at Minnesota Agricultural Experiment Station..... 453–464
Insect cardiac activity, recording by mechanographic method with reference to effect of nicotine on isolated heart preparations of *Periplaneta americana*. J. Franklin Yeager..... 267–276
Insects, vectors in transmission of lima bean mosaic..... 896, 901–902
Iodine, feeding to chicks, effect upon feathering, experiments..... 691–692
IRELAND, J. C.: Sorghum Characters Grouped by Multiple Correlations..... 707–710

JENKINS, WILBERT A.: Two Fungi Causing Leaf Spot of Peanut..... 317–332
Johnson grass root juice, inhibition of growth of *Phymatotrichum omnivorum*..... 779, 780
JORDAN, H. V., MORROW, MARIE B., ROBERTS, JAMES L., ADAMS, JAMES E., and GUEST, PAUL: Establishment and Spread of Molds and Bacteria on Cotton Roots by Seed and Seedling Inoculation.... 197–207

KEITT, G. W., and NUSBAUM, CHARLES J.: A Cytological Study of Host-Parasite Relations of *Venturia inaequalis* on Apple Leaves..... 595–618
KELLEY, M. A. R., and MITCHELL, H. H.: Energy Requirements of Swine and Estimates of Heat Production and Gaseous Exchange for Use in Planning the Ventilation of Hog Houses..... 811–829
Kerosene—
specifications for spraying lawn for dandelion control..... 860–861
sprays—
effect on lawngrasses..... 860–861, 865–866
effectiveness against dandelions..... 862–864
physiological action on dandelions..... 864–865
use in controlling dandelions, methods.. 862–866
KIMMEY, J. W., and BUCHANAN, T. S.: Initial Tests of the Distance of Spread to and Intensity of Infection on *Pinus monticola* by *Cronartium ribicola* From *Ribes lacustre* and *R. viscosissimum*..... 9–30
KNAPP, BRADFORD, JR., BLACK, W. H., and COOK, A. C.: Correlation of Body Measurements of Slaughter Steers With Rate and Efficiency of Gain and With Certain Carcass Characteristics..... 465–472
KOEHLER, BENJAMIN: Fungus Growth in Shelled Corn as Affected by Moisture..... 291–307
KRAMER, M. M.—
BAIR, MARGARET D., KUNERTH, BERNICE L., and RIDDELL, W. H.: The Vitamin A Value of Colostrum and Milk of Four Cows Determined by the Single-Feeding Method..... 227–232

Page

KRAMER, M. M.—Continued.
GARDNER, INEZ, KUNERTH, BERNICE L., and RIDDELL, W. H.: Vitamin G (Riboflavin) Content of Colostrum and Milk of Cows Determined Biologically 233-237
KRANTZ, F. A., LEACH, J. G., DECKER, PHARES, and MATTSON, HAROLD: The Measurement and Inheritance of Scab Resistance in Selfed and Hybrid Progenies of Potatoes 843-853
KUNERTH, BERNICE L., KRAMER, M. M.—BAIR, MARGARET D., and RIDDELL, W. H.: The Vitamin A Value of Colostrum and Milk of Four Cows Determined by the Single-Feeding Method 227-232
GARDNER, INEZ, and RIDDELL, W. H.: Vitamin G (Riboflavin) Content of Colostrum and Milk of Cows Determined Biologically 233-237

LANG, A. G.: The Origin of Lint and Fuzz Hairs of Cotton 507-521
Lawngrasses, effect of spraying with kerosene for dandelion control 860-861, 865-866
Lawns—
dandelions in, control. W. E. Loomis 855-868
spraying with kerosene for dandelion control 860-864
treated, care, recommendations 866-867
LEACH, J. G., KRANTZ, F. A., DECKER, PHARES, and MATTSON, HAROLD: The Measurement and Inheritance of Scab Resistance in Selfed and Hybrid Progenies of Potatoes 843-853
LEACH, L. D., and DAVEY, A. E.: Determining the Sclerotial Population of *Sclerotium rolfsii* by Soil Analysis and Predicting Losses of Sugar Beets on the Basis of These Analyses 619-631
Leaf spot—
of peanut, two fungi causing. Wilbert A. Jenkins 317-332
See also under specific host.
Leafhopper, sugar-beet. See *Eutettix tenellus*.
Legumes—
photoperiodic responses, effects of temperature and other environmental factors 634-676
susceptibility to pea streak and alfalfa mosaic viruses, symptoms 750-762, 767-771
LIEBIG, GEORGE F., JR., and CHAPMAN, H. D.: Adaptation and Use of Automatically Operated Sand-Culture Equipment 73-80
Light, diffused, effects on longevity and productivity of *Trichogramma evanescens* 428-429
Lima bean. *See* Bean, lima.
Linseed meal, sources of vitamin B 927, 929-930, 932
LONGLEY, A. E.: Chromosomes of Maize From North American Indians 177-195
Lookout observers, discovery of forest fires, factors influencing. Charles C. Buck 259-266
LOOMIS, W. E.: The Control of Dandelions in Lawns 855-868
Louisiana, sugarcane mosaic, transmission by green bug, *Toxoptera graminum* 537-540
LUND, HORACE O.: Studies on Longevity and Productivity in *Trichogramma evanescens* 421-439

Maize—
from North American Indians, chromosomes. A. E. Longley 177-195
See also Corn.
MARKLEY, M. C., AUSEMUS, E. R., BAILEY, C. H., and HAYES, H. K.: Quality Studies in the Wheat-Breeding Program at the Minnesota Agricultural Experiment Station 453-464
Mash, anti-rachitic, feeding to confined laying hens, experiments 211-217
MATTSON, HAROLD, LEACH, J. G., KRANTZ, F. A., and DECKER, PHARES: The Measurement and Inheritance of Scab Resistance in Selfed and Hybrid Progenies of Potatoes 843-853

Page

MCCOLLOCH, L. P., and BROOKS, CHARLES: Spotting of Figs on the Market 473-488
Meals, from oily seeds, vitamin B and its content in, critical evaluation of rat-growth method for determining. F. W. Sherwood and J. O. Halverson 927-934
Mechanocardiograph, use in recording insect cardiac activity, studies 267-275
Mechanographic method of recording insect cardiac activity, with reference to effect of nicotine on isolated heart preparations of *Periplaneta americana*. J. Franklin Yeager 267-276
Meiotic instability, inherited character in varieties of *Triticum aestivum*. W. M. Myers and LeRoy Powers 441-452
Mercuric chloride, mixed with soil, effect on growth of *Phymatotrichum*, tests 556
Mercury compounds mixed with soil, effect on growth of *Phymatotrichum omnivorum*, tests 557-558, 562-563, 571
Milk—
ice, mixes, water and solid content, relation to freezing point, experiments 144-145, 150-152
products, freezing, measuring extent by use of dilatometer 137-153
vitamin—
A value, determination by single-feeding method using four cows. M. M. Kramer, Margaret D. Bair, Bernice L. Kunerth, and W. H. Riddell 227-232
G (riboflavin) content of cows, biological determination. M. M. Kramer, Inez Gardner, Bernice L. Kunerth, and W. H. Riddell 233-237
MILLER, W. T., and SCHOENING, H. W.: Toxicity of Selenium Fed to Swine in the Form of Sodium Selenite 831-842
Millet, growth in quartz sand, effect of three toxic compounds 787-789
Minnesota Agricultural Experiment Station, wheat-breeding program, quality studies. E. R. Ausemus, M. C. Markley, C. H. Bailey, and H. K. Hayes 453-464
MITCHELL, H. H., and KELLEY, M. A. R.: Energy Requirements of Swine and Estimates of Heat Production and Gaseous Exchange for Use in Planning the Ventilation of Hog Houses 811-829
Moisture—
effect on fungus growth in shelled corn. Benjamin Koehler 291-307
soil, effect on accumulation of starch in tomato stems 879, 880
Molds, establishment and spread on cotton roots by seed and seedling inoculation. Marie B. Morrow, James L. Roberts, James E. Adams, H. V. Jordan, and Paul Guest 197-207
Monocotyledons—
ether fractions from, effect on growth of *Phymatotrichum omnivorum* 781-782
immunity to phymatotrichum root rot, cause, studies. Walter N. Ezekiel and J. F. Fudge 773-786
roots, substances inhibiting growth of root rot, isolation and identification 773-786
Morning-glory, photoperiodic responses, effects of environmental factors, experiments 634, 647, 675-676
MORROW, MARIE B., ROBERTS, JAMES L.; ADAMS, JAMES E., JORDAN, H. V., and GUEST, PAUL: Establishment and Spread of Molds and Bacteria on Cotton Roots by Seed and Seedling Inoculation 197-207
Mosaic—
disease of—
Chinese cabbage. C. M. Tompkins and H. Rex Thomas 541-551
lima beans, *Phaseolus lunatus macrocarpus*. L. L. Harter 895-906
sugarcane, transmission by green bug (*Toxoptera graminum*). J. W. Ingram and E. M. Summers 537-540
virus, strains on peas, experiments 747-771

Page

Mycosphaerella—
arachidicola n. sp.—
development ... 319–324
infection of peanut ... 317–319
spore forms, genetic relation ... 324
taxonomy and technical description ... 324–325
berkeleyii n. sp.—
development ... 326–329
infection of peanut ... 325–326
spore forms, genetic relation ... 329–330
taxonomy and technical description ... 330–331
MYERS, W. M., and POWERS, LEROY: Meiotic Instability as an Inherited Character in Varieties of *Triticum aestivum* ... 441–452
Myzus persicae, transmission of—
Chinese cabbage mosaic virus ... 544
lima bean mosaic virus ... 901

Nematodes infesting red spiderlilies. G. Steiner ... 1–8
NESTLER, RALPH B.: The Comparative Value of Cod-Liver Oil Alone and in Combination With Irradiated Ergosterol as a Source of Vitamin D for Confined Laying Hens ... 209–219
Nicotine, effect on isolated heart preparations of *Periplaneta americana*, mechanographic method of recording. J. Franklin Yeager ... 267–276
Nigrospora sphaerica, growth, relation to moisture in shelled corn ... 301–302
NUSBAUM, CHARLES J., and KEITT, G. W.: A Cytological Study of Host-Parasite Relations of *Venturia inaequalis* on Apple Leaves ... 595–618
Nutrient media, composition, effect upon growth of the fowl coryza bacillus, *Hemophilus gallinarum*. J. P. Delaplane, L. E. Erwin, and H. O. Stuart ... 919–923
Nutrition—
chicks, effect upon feathering, experiments ... 687–690
fire blight bacteria, influence on life and morphology. H. R. Rosen ... 239–258

Oak—
live, treatment with fungicides for control of *Phymatotrichum*, effects ... 590
wood, permeability to water, experiments ... 720–743
Oat hybrids, Markton, inheritance of resistance to loose and covered smuts. George M. Reed and T. R. Stanton ... 159–175
Oats, photoperiodic responses, effects of temperature and other environmental factors ... 634–635, 647
Observers, lookout, discovery of forest fires, factors influencing. Charles C. Buck ... 259–266
Oil press-cake meals, vitamin B in, determinations ... 929–930
Oklahoma Agricultural Experiment Station, rainfall, records for 1929–36 ... 708
OLSEN, MARLOW W., and BYERLY, THEODORE C.: Resistance of Chicken Embryos to Mechanical Disturbances ... 221–226
Onion root juice, inhibition of growth of *Phymatotrichum omnivorum* ... 776–778, 780–781, 783–784
Orange seedlings, iron supply, control by sand-culture equipment, experiments ... 77–78
Oxidase activity—
and respiration of apple and pear fruits. Boyce D. Ezell and Fisk Gerhardt ... 365–386
of Bartlett pears in relation to maturity and storage. Boyce D. Ezell and Fisk Gerhardt ... 337–346

Paradichlorobenzene, toxicity to *Phymatotrichum*, tests ... 570–572
Parasite—
braconid, of satin moth, *Rogas unicolor*. Philip B. Dowden ... 523–535
host relations of *Venturia inaequalis* on apple leaves, cytological study. Charles J. Nusbaum and G. W. Keitt ... 595–618
Pea—
aphid, dissemination of mosaic disease, experiments ... 747–748

Page

Pea—Continued.
streak—
disease, history and description ... 747–748
virus 1—
inoculation of pea, symptoms ... 749, 750–752, 754–755
properties ... 764–766
separation from alfalfa mosaic viruses ... 766–767
symptoms on differential hosts ... 760–764
susceptibility to—
alfalfa mosaic—
virus 1, symptoms ... 749, 752, 754–756
virus 1A, symptoms ... 749, 752–756
virus 1B, symptoms ... 749, 752, 754, 755–756
pea streak virus 1, symptoms ... 749, 750–752, 754–755
Peach aphid, green, transmission of Chinese cabbage mosaic virus, experiments ... 544
Peanut—
leaf spot, two fungi causing. Wilbert A. Jenkins ... 317–332
meal, source of vitamin B ... 927, 929–930, 932
Pear fruits, oxidase and catalase activity and respiration. Boyce D. Ezell and Fisk Gerhardt ... 365–386
Pears—
Bartlett—
enzyme activity during growing season ... 341–343, 344
enzyme activity, factors affecting ... 339–341
in carbon dioxide storage, effects under simulated transit conditions. Fisk Gerhardt and Boyce D. Ezell ... 121–136
maturity, effect on enzyme activity ... 339–340
maturity, relation of oxidase and catalase activity to. Boyce D. Ezell and Fisk Gerhardt ... 337–346
orchard location, relation to enzyme activity ... 340
oxidase and catalase activity in relation to maturity and storage. Boyce D. Ezell and Fisk Gerhardt ... 337–346
pectin content, changes during gas storage ... 130–134
storage—
effect on enzyme activity ... 340–341
relation of oxidase and catalase activity to. Boyce D. Ezell and Fisk Gerhardt ... 337–346
with and without gas, experiments ... 126–130
surface scald, prevention by gas storage ... 133
enzyme activity and respiration rate, experiments ... 376–378
stored, respiration rate and enzyme activity, experiments ... 377–378
Peas, streak disease, and its relation to several strains of alfalfa mosaic virus. W. J. Zaumeyer ... 747–772
Pectin content, Bartlett pears, changes during gas storage ... 130–134
Penicillium—
luteum, establishment and spread on cotton roots, experiments ... 198–204
spp., growth, relation to moisture in shelled corn ... 298–300, 304–305
Pentachlorethane—
effectiveness in soil penetration for inhibiting growth of *Phymatotrichum*, tests ... 563–569
efficiency in eradication of phymatotrichum root rot, tests. Walter N. Ezekiel ... 579–593
toxicity to *Phymatotrichum*, tests ... 570–573
use against root rot fungus, effects on host plants ... 589–590
Pepper—
flower and seed development, morphological study. H. L. Cochran ... 395–419
infection with lima bean mosaic, symptomatology ... 899
See also *Capsicum frutescens*.
Peppergrass, inoculation with sugar-beet curly top virus strains, experiments ... 891, 892, 893, 894
Periplaneta americana, isolated heart preparations, effect of nicotine, mechanographic method of recording. J. Franklin Yeager ... 267–276

Page

Permeability, directional, of seasoned woods to water, and some factors which affect it. Harvey D. Erickson, Henry Schmitz, and R. A. Gortner 711–745
Petunia, infection with lima bean mosaic, symptomatology 899
Phaseolus—
lunatus macrocarpus—
lima beans, mosaic of. L. L. Harter 895–906
See also Bean, lima.
spp., susceptibility to pea streak and alfalfa mosaic viruses, symptoms 758–759
Phenothiazine—
oxidation products, toxicity, experiments with *Curassius auratus*. W. A. Gersdorff and H. V. Claborn 277–282
sulphoxide, toxicity experiments with goldfish 277–282
toxicity—
experiments with *Curassius auratus*. W. A. Gersdorff and H. V. Claborn 277–282
experiments with goldfish 277–282
Photoperiodic responses of some higher plants, effects of temperature and other environmental factors upon. R. H. Roberts and B. Esther Struckmeyer 633–677
Phymatotrichum omnivorum—
cause of root rot—
disease 773, 785
infection 553
growth—
and behavior in cultures of plant juices, experiments 775–783
effects of fungicides mixed mechanically in soil, tests 556–558
prevention, effectiveness of volatile materials in soil 558–569
laboratory tests with, evaluation of some soil fungicides. Walter N. Ezekiel 553–578
Phymatotrichum root rot—
control by soil fungicides, experiments 553–576
eradication, tests with pentachlorethane, tetrachlorethane, and xylol to determine their efficiency. Walter N. Ezekiel 579–593
fungus, eradication, attempts with tetrachlorethane and xylol, experiments 587–589
immunity of monocotyledonous plants to, cause, studies. Walter N. Ezekiel and J. F. Fudge 773–786
Pigs—
clotted-blood serum, growth of fowl coryza bacillus in, factors 922–923, 926
energy requirements, estimation 811–821
food requirements, heat production, and gaseous exchange 818–819
growth and fattening, energy requirements 814, 819
metabolism, basal, estimation 812
metabolizable energy, requirements 815–816
muscular activity, energy requirement 812–814
output of water vapor and carbon dioxide 816
temperature, critical, estimation 816–817
tolerance to selenium, variation 841
toxic reaction to selenium fed in form of sodium selenite 831–842
See also Hog; Sows; Swine.
Pine—
western white, infection from *Ribes*, factor of distance, tests 9–29
wood, permeability to water, experiments 720–743
Pinus monticola, infection by *Cronartium ribicola* from *Ribes lacustre* and *R. viscosissimum*, initial tests of distance of spread and intensity. T. S. Buchanan and J. W. Kimmey 9–30
Pisum sativum. *See* Pea.
Plant—
characters, relation to strength of straw and lodging in winter wheat. I. M. Atkins 99–120
growth substances, extraction from pigmented tissues, method. A. G. DuBuy 155–158
tissue composition, some correlations in, and effect upon crop rotation with tobacco. Walter S. Eisenmenger 309–316
tissues, pigmented, growth substance from, extraction method. H. G. Du Buy 155–158
toxicity, measurement studies. Philip L. Gile 787–789

Page

Plantain, inoculation with sugar-beet curly top virus strains, experiments 891, 892, 893, 894
Plants—
decomposition products, some correlations and effect upon crop rotation with tobacco. Walter S. Eisenmenger 309–316
higher—
blossoming, effects of environment upon, experiments 633–676
photoperiodic responses, effects of temperature and other environmental factors upon. R. H. Roberts and B. Esther Struckmeyer 633–677
immune to Chinese cabbage mosaic infection, list 545–546
monocotyledonous, immunity to phymatotrichum root rot, cause, studies. Walter N. Ezekiel and F. J. Fudge 773–786
Pokeweed, infection with lima bean mosaic, symptomatology 900
Pomegranate, treatment with fungicides for control of *Phymatotrichum*, effects 589–590
Population, sclerotial, of *Sclerotium rolfsii*, determination by soil analysis and predicting losses of sugar beets on the basis of these analyses. L. D. Leach and A. E. Davey 619–631
Portable instrument, use in analysis of hydrocyanic acid gas-air mixtures. R. J. Wilmot and T. N. Gautier 283–290
Potato—
hybrids, resistance to scab, studies 843–853
juice, inhibition of growth of *Phymatotrichum omnivorum* 777, 782–784
progenies, resistance to scab, hereditary differences 849–852
scab, measurement, method 846–849
Potatoes—
photoperiodic responses, effects of environmental factors 634–635, 647
scab resistance in selfed and hybrid progenies, measurement and inheritance. J. G. Leach, F. A. Krantz, Phares Decker, and Harold Mattson 843–853
POWERS, LEROY, and MYERS, W. M.: Meiotic Instability as an Inherited Character in Varieties of *Triticum aestivum* 441–452
Protein—
consumption by chicks, effects, experiments 793–810
content of hay cut at different stages of maturity, comparison 356–361
percentage in diet of male chickens, effect on growth and feed utilization. John C. Hammond, Walter A. Hendricks, and Harry W. Titus 791–810
Pseudomonas fluorescens, establishment and spread on cotton roots, experiments 198–206
Pythium—
arrhenomanes, cause of root rot of sugarcane 53
root rot of sugarcane, severity, influence of certain harmful soil constituents. R. D. Rands and Ernest Dopp 53–67
Quality studies, wheat-breeding program at Minnesota Agricultural Experiment Station. E. R. Ausemus, M. C. Markley, C. H. Bailey, and H. K. Hayes 453–464
Rabbit, clotted-blood serum, growth of fowl coryza bacillus in, factors 922–923, 926
RADI, M. H, and WARREN, D. C.: Studies on the Physiology and Inheritance of Feathering in the Growing Chick 679–705
Ragweed, rotation with tobacco, correlations 310–316
Rainfall at Oklahoma Agricultural Experiment Station, records for 1929–36 708
RANDS, R. D., and DOPP, ERNEST: Influence of Certain Harmful Soil Constituents on Severity of Pythium Root Rot of Sugarcane 53–67
Range grass, blue grama, vitamin A value at different stages of growth. Margaret Cammack Smith and E. B. Stanley 69–71
Rat-growth method, critical evaluation for determining vitamin B and its content in meals from certain oily seeds. F. W. Sherwood and J. O. Halverson 927–934

Page

Rations for chicks, effect upon feathering, experiments ... 687–690
Rats—
feeding on oil press-cake meals for vitamin B determinations ... 929
growth response to meals from oily seeds, relation to vitamin B content of food ... 931
sex, relation to growth response when fed vitamin B ... 930–931
Redtop, rotation with tobacco, correlations ... 310–315
REED, GEORGE M., and STANTON, T. R.: Inheritance of Resistance to Loose and Covered Smuts in Markton Oat Hybrids ... 159–175
Relative humidity. *See* Humidity, relative.
Resin canals, function in flow of liquid through wood ... 734–737, 739–741, 743
Respiration, apple and pear fruits, and oxidase and catalase activity. Boyce D. Ezell and Fisk Gerhardt ... 365–385
Ribes lacustre and *R. viscosissimum*, *Cronartium ribicola* from, initial tests of distance of spread and intensity of infection on *Pinus monticola*. T. S. Buchanan and J. W. Kimmey ... 9–30
Riboflavin (vitamin G) content of colostrum and milk of cows, biological determination. M. M. Kramer, Inez Gardner, Bernice L. Kunerth, and W. H. Riddell ... 233–237
RIDDELL, W. H., KRAMER, M. M.—
BAIR, MARGARET D., and KUNERTH, BERNICE L.: The Vitamin A Value of Colostrum and Milk of Four Cows Determined by the Single-Feeding Method ... 227–232
GARDNER, INEZ, and KUNERTH, BERNICE L.: Vitamin G (Riboflavin) Content of Colostrum and Milk of Cows Determined Biologically ... 233–237
ROBERTS, JAMES L., MORROW, MARIE B., ADAMS, JAMES E., JORDAN, H. V., and GUEST, PAUL: Establishment and Spread of Molds and Bacteria on Cotton Roots by Seed and Seedling Inoculation ... 197–207
ROBERTS, R. H., and STRUCKMEYER, B. ESTHER: The Effects of Temperature and Other Environmental Factors Upon the Photoperiodic Responses of Some of the Higher Plants ... 633–677
Roga unicolor—
(Wesm.), a braconid parasite of the satin moth. Philip B. Dowden ... 523–535
biology and effect on host ... 530–533
developmental stages, description ... 525–530
economic importance and introduction into United States ... 524–525
hyperparasites ... 533–534
Root rot, phymatotrichum. *See* Phymatotrichum root rot.
ROSEN, H. R.: Life Span and Morphology of Fire Blight Bacteria as Influenced by Relative Humidity, Temperature, and Nutrition ... 239–258
Rotation, crop, with tobacco, effect upon and some correlations in plant-tissue composition and products. Walter S. Eisenmenger ... 309–316
Rotylenchus brachyurus n. sp.—
parasitism on red spiderlily roots ... 4–7
technical description ... 6
Rye, photoperiodic responses, effects of environmental factors ... 634–635, 647

Saccharum officinarum. *See* Sugarcane.
Salicylic aldehyde, effect on growth and root rot of sugarcane, experiments ... 57–65
Sand—
culture equipment, automatically operated, adaptation and use. H. D. Chapman and George F. Liebig, Jr ... 73–80
cultures, flushing for nutrient control, frequency ... 78–80
dune complex, description ... 910–911
dunes—
formation in Texas, study ... 908–911
movement in Texas, study ... 911–912
of recent origin in southern Great Plains. Charles J. Whitfield ... 907–917
origin, character, and utilization, study project ... 907–908

Page

Sand—Continued.
dunes—continued.
stabilization, methods ... 912–916
substratum, description ... 911
types, description ... 907–908
vegetation, original and present, in Texas, study ... 910
Sapwood—
radial permeability at different pressures, determinations ... 722–727, 731–743
tangential permeability at different pressures, determinations ... 727–743
Satin moth, braconid parasite, *Roga unicolor*. Philip B. Dowden ... 523–535
Scab, resistance in selfed and hybrid progenies of potatoes, measurement and inheritance. J. G. Leach, F. A. Krantz, Phares Decker, and Harold Mattson ... 843–853
SCHMITZ, HENRY, ERICKSON, HARVEY D., and GORTNER, R. A.: Directional Permeability of Seasoned Woods to Water and Some Factors Which Affect It ... 711–745
SCHOENING, H. W., and MILLER, W. T.: Toxicity of Selenium Fed to Swine in the Form of Sodium Selenite ... 831–842
Sclerotial population of *Sclerotium rolfsii*, determination by soil analysis and predicting losses of sugar beets on the basis of these analyses. L. D. Leach and A. E. Davey ... 619–631
Sclerotinia fructicola conidia, germination and growth, effect of low concentrations of copper. M. C. Goldsworthy and E. L. Green ... 489–505
Sclerotium rolfsii, sclerotial population, determination by soil analysis and predicting losses of sugar beets on the basis of these analyses. L. D. Leach and A. E. Davey ... 619–631
Seeds—
development in pepper, morphological study. H. L. Cochran ... 395–419
oily, vitamin B and its content in meals from, critical evaluation of rat-growth method for determining. F. W. Sherwood and J. O. Halverson ... 927–934
Selenium, toxicity when fed to swine in form of sodium selenite. W. T. Miller and H. W. Schoening ... 831–842
Serums, effect on growth of fowl coryza bacillus, experiments ... 922–923, 926
Sex in chicks, relation to feathering ... 684–685
Sheep, clotted-blood serum, growth of fowl coryza bacillus in, factors ... 922–923, 926
Sherbet mixes, freezing points, factors affecting ... 145–146
SHERWOOD, F. W., and HALVERSON, J. O.: A Critical Evaluation of the Rat-Growth Method for Determining Vitamin B and Its Content in Meals From Certain Oily Seeds ... 927–934
Sitotroga cerealella, eggs, parasitism by *Trichogramma evanescens* ... 421–423, 427–428
SMITH, MARGARET CAMMACK, and STANLEY, E. B.: The Vitamin A Value of Blue Grama Grass at Different Stages of Growth ... 69–71
Smuts, loose and covered, resistance to in Markton oat hybrids, inheritance. George M. Reed and T. R. Stanton ... 159–175
Sodium—
chloride, effect upon growth of the fowl coryza bacillus, *Hemophilus gallinarum*. J. P. Delaplane, L. E. Erwin, and H. O. Stuart ... 919–926
selenate, effect on growth of millet in quartz sand ... 787–789
selenite—
effect on growth of millet in quartz sand ... 787–789
toxicity to swine. W. T. Miller and H. W. Schoening ... 831–842
Soil—
analysis, use in determining sclerotial population of *Sclerotium rolfsii*, and predicting losses of sugar beets on the basis of these analyses. L. D. Leach and A. E. Davey ... 619–631

Page

Soil—Continued.
composition, effect of plant decomposition, experiments 311–315
constituents, harmful, influence on severity of pythium root rot of sugarcane. R. D. Rands and Ernest Dopp 53–67
fungicides, evaluation by laboratory tests with *Phymatotrichum omnivorum*. Walter N. Ezekiel 553–578
moisture, effect on accumulation of starch in tomato stems 879, 880
Soil Conservation Service, studies of sand dune areas, Dalhart, Tex 907–917
Solanaceae—
photoperiodic responses, effects of temperature and other environmental factors 634–676
susceptibility to Chinese cabbage mosaic disease, experiments 544–545
Sorghum—
Blackhull × Japonica hybrid, characters, use in determining yields 707–710
characters grouped by multiple correlations. J. C. Ireland 707–710
grain yield, prediction method 707–710
Sorghums, grain, heritable characters, value as means of indicating yields, study 707–710
Sows—
lactation, energy requirements 815, 819–821
pregnant, energy requirements 815, 819
Soybean meal, source of vitamin B 927, 929–930, 932
Soybeans, photoperiodic responses, effects of temperature and other environmental factors 634–635, 647, 676
Spiderlilies, red, infestation by nematodes. G. Steiner 1–8
Spotting of figs on market. Charles Brooks and L. P. McColloch 473–488
Springwood, radial permeability at different pressures, determinations 722–727, 732–743
Spruce wood, permeability to water, experiments 720–743
STANLEY, E. B., and SMITH, MARGARET CAMMACK: The Vitamin A Value of Blue Grama Range Grass at Different Stages of Growth 69–71
STANTON, T. R., and REED, GEORGE M.: Inheritance of Resistance to Loose and Covered Smuts in Markton Oat Hybrids 159–175
Starch congestion in tomato plant stems, influence of certain environmental conditions. Arthur C. Foster and Everett C. Tatman 869–881
Steers, slaughter—
body measurements, correlation with rate and efficiency of gain and with certain carcass characteristics. W. H. Black, Bradford Knapp, Jr., and A. C. Cook 465–472
record-of-performance experiments at Beltsville, Md 466–471
STEINER, G.: Nematodes Infesting Red Spiderlilies 1–8
Stilpnotia salicis, braconid parasite, *Rogas unicolor* 523–534
Storage—
carbon dioxide, effect on Bartlett pears under simulated transit conditions. Fisk Gerhardt and Boyce D. Ezell 121–136
of Anjou pears, effect on respiration rate and enzyme activity, experiments 377–378
of apples, respiration rate and enzyme activity, experiments 372–373
of Bartlett pear, relation to oxidase and catalase activity. Boyce D. Ezell and Fisk Gerhardt 337–346
Streak disease of peas and its relation to several strains of alfalfa mosaic virus. W. J. Zaumeyer 747–772
STRUCKMEYER, B. ESTHER, and ROBERTS, R. H.: The Effects of Temperature and Other Environmental Factors Upon the Photoperiodic Responses of Some of the Higher Plants 633–677
STUART, H. O., DELAPLANE, J. P., and ERWIN, L. E.: The Effect of the X Factor, of Sodium Chloride, and of the Composition of the Nutrient Media Upon the Growth of the Fowl Coryza Bacillus, *Hemophilus gallinarum* 919–926

Page

Sugar beet—
curly top virus. *See* Curly top virus.
fields—
commercial, sclerotial populations, fluctuation 625–627
sclerotial population, numerical expression 624–625
sclerotial population of *Sclerotium rolfsii*, determination 619–624
leafhopper—
use in inoculating plants with curly top virus, experiments 883, 891
See also *Eutettix tenellus*.
Sugar beets—
inoculation with selected strains of curly top virus, experiments 883, 890
losses—
from stem rot, prediction from counts of sclerotia in soil samples 627–630
predicting on basis of soil analyses for determining sclerotial population of *Sclerotium rolfsii*. L. D. Leach and A. E. Davey 619–631
photoperiodic responses, effects of environmental factors 634–635, 647
susceptibility to infection by curly top virus 883–894
Sugarcane—
mosaic—
transfers from diseased crabgrass to healthy sugarcane, experiments 539, 540
transfers from diseased to healthy cane, experiments 538–539, 540
transmission by green bug (*Toxoptera graminum*). J. W. Ingram and E. M. Summers 537–540
pythium root rot, severity, influence of certain harmful soil constituents. R. D. Rands and Ernest Dopp 53–67
SUMMERS, E. M., and INGRAM, J. W.: Transmission of Sugarcane Mosaic by the Green Bug (*Toxoptera graminum* Rond.) 537–540
Summerwood, radial permeability at different pressures, determinations 723–727, 731–743
Sweetpotato, photoperiodic responses, effects of environmental factors 634, 647
Swine—
energy requirements—
and estimates of heat production and gaseous exchange for use in planning ventilation of hog houses. H. H. Mitchell and M. A. R. Kelley 811–829
estimation 811–821
toxic reaction to selenium fed in form of sodium selenite. W. T. Miller and H. W. Schoening 831–842
See also Hog; Pigs; Sows.

Tamarack wood, permeability to water, experiments 720–743
Tararacum officinale. *See* Dandelion.
TATMAN, EVERETT C., and FOSTER, ARTHUR C.: Influence of Certain Environmental Conditions on Congestion of Starch in Tomato Plant Stems 869–881
Temperature—
effect on—
accumulation of starch in tomato stems 878, 880
feathering of growing chicks, experiments 693–694
growth of ear-rot fungus in stored corn 295
longevity and productivity of *Trichogramma evanescens* 429–433
photoperiodic responses of some higher plants. R. H. Roberts and B. Esther Struckmeyer 633–677
spotting of market figs, experiments 482–483
influence on life span and morphology of fire blight bacteria. H. R. Rosen 239–258
Tetrachlorethane—
application around diseased plants for root rot control, tests 581–585, 587–589, 591–592
effectiveness in soil penetration for inhibiting growth of *Phymatotrichum*, soil tests 555–569
efficiency in eradication of phymatotrichum root rot, tests. Walter N. Ezekiel 579–593
toxicity to *Phymatotrichum*, tests 571–573

Page

Tetrachlorethane—Continued.
use against root rot fungus, effects on plants ... 588, 589–590
Texas, Dalhart, sand dune areas, study by Soil Conservation Service ... 907–917
THATCHER, LLOYD E., and EVANS, MORGAN W.: A Comparative Study of an Early, a Medium, and a Late Strain of Timothy Harvested at Various Stages of Development ... 347–364
Thionol, toxicity experiments with goldfish ... 277–282
THOMAS, H. REX, and TOMPKINS, C. M.: A Mosaic Disease of Chinese Cabbage ... 541–551
Thyroid gland, activity, effect upon feathering in chicks ... 690–691
Thyroxine, injections in chicks, effect upon feathering, experiments ... 690–691
Timber—
growth, tables, use for determinations ... 94–98
stands, uneven-aged, growth prediction and site determination. William A. Duerr and S. R. Gevorkiantz ... 81–98
uneven-aged, growth—
and site determinations, statistical basis ... 92–94
nature of and analysis, data ... 81–92
tables, application ... 94–98
Timothy—
rotation with tobacco, correlations ... 310–315
strains, early, medium, and late, harvested at various stages of development, comparative study. Morgan W. Evans and Lloyd E. Thatcher ... 347–334
TITUS, HARRY W., HAMMOND, JOHN C., and HENDRICKS, WALTER A.: Effect of Percentage of Protein in the Diet on Growth and Feed Utilization of Male Chickens ... 791–810
Tobacco—
crop rotation, effect upon and some correlations in plant-tissue composition, and decomposition products. Walter S. Eisenmenger ... 309–316
inoculation with sugar-beet curly top virus strains, experiments ... 891, 892
photoperiodic response, effects of temperature and other environmental factors ... 634, 642, 645, 647, 676
rotation with tobacco, correlations ... 310–315
Turkish—
infection with lima bean mosaic, symptomatology ... 898–899
inoculation with mosaic viruses, methods ... 896–897
Tomato—
infection with lima bean mosaic, symptomatology ... 899
inoculation with sugar-beet curly top virus strains, experiments ... 891, 892, 894
iron supply, control by sand-culture equipment, experiments ... 77–78
plant stems, starch congestion in, influence of certain environmental conditions. Arthur C. Foster and Everett C. Tatman ... 869–881
plants—
growth habit and response to environment ... 871–876
water requirement, influence of environment ... 877
stems, starch accumulation—
effect of fertilizers ... 877–878, 880
effect of soil moisture ... 879, 880
effect of temperature ... 878–879, 880
TOMPKINS, C. M., and THOMAS, H. REX: A Mosaic Disease of Chinese Cabbage ... 541–551
Toxicity in plant studies, measurement. Philip L. Gile ... 787–789
Toxoptera graminum—
distribution and habits ... 537
(green bug), transmission of sugarcane mosaic. J. W. Ingram and E. M. Summers ... 537–740
vector of sugarcane mosaic, comparison with *Aphis maidis* ... 538, 539
Trichoderma lignorum, establishment and spread on cotton roots, experiments ... 198–207

Page

Trichogramma evanescens—
exposure to—
different humidities, effect on longevity and productivity ... 433–437
different temperatures, effects on longevity and productivity ... 429–433
diffused light, effects on longevity and productivity ... 428–429
feeding, effects on longevity and productivity ... 425–426
longevity and productivity—
at standard condition ... 423–425
factors affecting ... 425–436
studies. Horace O. Lund ... 421–439
pairing, effects on longevity and productivity ... 426–427
superparasitism, effects on longevity and productivity ... 427–428
withholding from host eggs, effects on longevity and productivity ... 426
Triticum aestivum—
environment, effect on meiotic instability ... 447–448
varieties, meiotic instability as an inherited character. W. M. Myers and LeRoy Powers ... 441–452
Turkeys—
clotted blood serum, growth of fowl coryza bacillus in, factors ... 922–923, 926
egg production, influence of various factors. V. S. Asmundson ... 387–393
Turnip—
mosaic virus, comparison with cabbage mosaic virus ... 548–550
root juice, inhibition of growth of *Phymatotrichum omnivorum* ... 777, 782, 783–785

Ustilago—
avenae, cause of loose smut of oat hybrids ... 159
levis, cause of covered smut of oat hybrids ... 159

Vegetation, relation to sand-dune stabilization ... 910, 914–916
Ventilation—
hog houses, planning by use of estimates of energy requirements, heat production, and gaseous exchange of swine. H. H. Mitchell and M. A. R. Kelley ... 811–829
requirements of hog houses ... 824–826
Venturia inaequalis—
infection of apple leaves—
development ... 607–614
stages ... 602–607
on apple leaves, host-parasite relations, cytological study. Charles J. Nusbaum and G. W. Keitt ... 595–618
on living apple leaves, macroscopic observations ... 598–602
Vicia faba—
susceptibility to pea streak and alfalfa mosaic viruses, symptoms ... 748, 749–750, 758, 760, 767–769
See also Broadbean.
Virus. *See* under specific kinds.
Vitamin—
A—
feeding to chicks, effect upon feathering, experiments ... 687–688
value of blue grama range grass at different stages of growth. Margaret Cammack Smith and E. B. Stanley ... 69–71
value of colostrum and milk of four cows determined by single-feeding method. M. M. Kramer, Margaret D. Bair, Bernice L. Kunerth, and W. H. Riddell ... 227–232
B—
content in meals from certain oily seeds, critical evaluation of rat-growth method for determining. F. W. Sherwood and J. O. Halverson ... 927–934
in meals from certain oily seeds, critical evaluation of rat-growth methods for determining. F. W. Sherwood and J. O. Halverson ... 927–934
D for confined laying hens, comparative value of cod-liver oil alone and in combination with irradiated ergosterol as sources. Ralph B. Nestler ... 209–219

Vitamin—Continued. Page
G—
(riboflavin) content of colostrum and milk of cows, biological determination. M. M. Kramer, Inez Gardner, Bernice L. Kunerth, and W. H. Riddell 233–237
feeding to chicks, effect upon feathering, experiments 690

WALLACE, HUGH E., and BENNETT, C. W.: Relation of the Curly Top Virus to the Vector, *Eutettix tenellus* 31–51
WARREN, D. C., and RADI, M. H.: Studies on the Physiology and Inheritance of Feathering in the Growing Chick 679–705
Water—
directional permeability of seasoned woods to, and some factors which affect it. Harvey D. Erickson, Henry Schmitz, and R. A. Gortner 711–745
distilled, effect on germination of conidia of *Sclerotinia fructicola* and *Glomerella cingulata* 492–494
requirement, of tomato plants, influence of environment 877
Weather, factor in effectiveness of kerosene sprays for dandelion control 862–864
Wheat—
breeding program, quality studies, at Minnesota Agricultural Experiment Station. E. R. Ausemus, M. C. Markley, C. H. Bailey, and H. K. Hayes 453–464
photoperiodic responses, effects of environmental factors 634–635, 647
quality—
interannual correlations 458–459, 461–462
interrelation between characters 460–463
interstation, correlations 459–460, 462
spring, milling and baking quality, range of variability, correlations 454–457
varieties, meiotic instability as an inherited character 441–451
winter—
milling and baking quality, range of variability, correlations 454–455
plant characters, relation to strength of straw and lodging. I. M. Atkins 99–120
straw lodging and breaking strength 108–118
strength of straw and lodging, relation to certain plant characters. I. M. Atkins 99–120
varieties, breaking strength of straw and agronomic characters, determinations 101–107

WHITFIELD, CHARLES J.: Sand Dunes of Recent Origin in the Southern Great Plains. Page 907–917
WILMOT, R. J., and GAUTIER, T. N.: A Portable Instrument for the Analysis of Hydrocyanic Acid Gas-Air Mixtures 283–290
Wind—
erosion, effects on sand-dune stabilization 910–912, 915–917
movement, rate, relation to sand-dune formation 912, 913
Woods—
nonresinous, permeability, determinations 720–744
permeability—
at different pressures, determinations 722–743
determination, apparatus 719–722
resinous, permeability, determinations 720–744
seasoned—
comparison of radial and tangential permeability 731–743
directional permeability to water, and some factors which affect it. Harvey D. Erickson, Henry Schmitz, and R. A. Gortner 711–745
See also under specific kinds.

Xylene—
effectiveness in soil penetration for inhibiting growth of *Phymatotrichum*, tests 565–569
toxicity to *Phymatotrichum*, tests 571–573
Xylol—
application around diseased plants for root-rot control, tests 584–585, 587–589, 591–592
efficiency in eradication of phymatotrichum root rot, tests. Walter N. Ezekiel .. 579–593
use against root rot fungus, effects on host plants 588, 589–590

YEAGER, J. FRANKLIN: Mechanographic Method of Recording Insect Cardiac Activity, With Reference to Effect of Nicotine on Isolated Heart Preparations of *Periplaneta americana* 267–276
Yeast, effect on growth of fowl coryza bacillus 920–921, 925–926

ZAUMEYER, W. J.: A Streak Disease of Peas and Its Relation to Several Strains of Alfalfa Mosaic Virus 747–772
Zea mays. *See* Corn; Maize.
Zinnia, infection with lima bean mosaic, symptomatology 900